



Note:
PROTECT THREAD DURING WELDING.
Or TAP/THREAD AFTER WELDING TO ENSURE THREAD QUALITY.




SECTION XSEC0001-XSEC0001










SECTION XSEC0002-XSEC0002



Part Material:
AL 5052-H32, 0.8 MM THK

General tolerances:
ISO 2768-m


Dimensions in MM

Scale:
1 : 1

Title, supplementary title: Bottom ASM	Created by:		Owner: aatrral	
	Approved by:			
Document type:	Drawing number:		Responsible department: RD	
Document status:	Language: EN	Issue date: YYYY-MM-DD	Revision: AAA	Sheet: X / Y


A4


Bend View



Flat View

Please refer the DXF file of same drawing for more details.





Part Material:
AL 5052-H32, 0.8 MM THK


General tolerances: Dimensions in MM
ISO 2768-m


Scale:
1 : 1

Title, supplementary title: Bottom	Created by:		Owner: aatrral
	Approved by:		
Document type:	Drawing number:		Responsible department: RD
Document status:	Language: EN	Issue date: YYYY-MM-DD	Revision: AAA / Sheet: X / Y

A4

Welding Strip for Bottom Part





Part Material:
AL 5052-H32, 0.8 MM THK

General tolerances: Dimensions in MM
ISO 2768-m

Scale:
1 : 1

Title, supplementary title: Welding Strip	Created by:		Owner: aatrral	
	Approved by:			
Document type:	Drawing number:		Responsible department: RD	
Document status:	Language: EN	Issue date: YYYY-MM-DD	Revision: AAA	Sheet: X / Y

A4